

# ASAP FASTENING SYSTEMS, INC.


SUPPLIES FOR INDUSTRY AND CONSTRUCTION

2013 SOUTH 37TH STREET • MILWAUKEE, WISCONSIN 53215

(414) 344-4500 • FAX (414) 344-4504

WWW.ASAPFASTENING.COM • EMAIL: SALES@ASAPFASTENING.COM

## HEX HEAD CAP SCREWS



**Materials:** Grades 2, 5, & 8 Steel  
Stainless Steel  
Brass, Bronze, Aluminum

**Threading:** UNC - Coarse  
UNF - Fine

**Finishes:** Plain  
Plated

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 1000 Pcs
<b>1/4</b>	1/2	100	18000	11.8
	5/8	100	16000	13.1
	3/4	100	15000	14.4
	7/8	100	13500	15.7
	1	100	12000	17.4
	1-1/4	100	9000	20.8
	1-1/2	100	7300	24.3
	1-3/4	100	6200	27.7
	2	100	5500	31.2
	2-1/4	100	5000	34.6
	2-1/2	100	4500	38.1
	2-3/4	100	4000	41.5
	3	100	3500	45.0
	3-1/4	100	3000	48.5
	3-1/2	100	2500	51.9
	4	100	2000	58.8
	4-1/2	100	1800	65.7
	5	100	1400	72.6
5-1/2	100	1200	79.5	
6	100	1000	86.4	
—20 NC —28 NF				
<b>5/16</b>	1/2	100	10000	19.9
	5/8	100	9000	22.0
	3/4	100	8000	24.1
	7/8	100	7400	26.2
	1	100	7000	28.3
	1-1/4	100	5500	33.7
	1-1/2	100	4500	39.1
	1-3/4	100	4000	44.5
	2	100	3700	49.9
	2-1/4	100	3400	55.2
	2-1/2	100	3000	60.6
	2-3/4	100	2500	66.0
	3	100	2300	71.4
	3-1/4	50	2100	76.8
	3-1/2	50	1900	82.1
	3-3/4	50	1700	87.5
	4	50	1500	92.9
	4-1/2	50	1300	103.7
5	50	1000	114.4	
5-1/2	50	900	125.2	
6	50	800	135.9	
—18 NC —24 NF				

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 1000 Pcs
<b>3/8</b>	1/2	100		
	5/8	100	7000	32.1
	3/4	100	6000	35.5
	7/8	100	5300	38.6
	1	100	4800	41.7
	1-1/4	100	4000	48.6
	1-1/2	100	3400	56.4
	1-3/4	100	2800	64.2
	2	100	2500	71.9
	2-1/4	50	2200	79.7
	2-1/2	50	2000	87.4
	2-3/4	50	1800	95.2
	3	50	1800	103.0
	3-1/4	50	1700	110.8
	3-1/2	50	1600	118.5
	3-3/4	50	1400	126.3
	4	50	1200	134.0
	4-1/2	50	900	149.5
5	50	700	165.0	
5-1/2	50	600	180.6	
6	50	500	196.1	
6-1/2	50	500		
7	50	500		
8	50	500		
—16 NC —24 NF				


\* Special Lengths available on Request

# HEX HEAD CAP SCREWS

**Materials:** Grades 2, 5, & 8 Steel  
Stainless Steel  
Brass, Bronze, Aluminum

**Threading:** UNC - Coarse  
UNF - Fine

**Finishes:** Plain  
Plated




Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 1000 Pcs
<b>7/16</b>	3/4	100		
	1	100	3500	59.2
	1-1/4	50	3000	67.6
	1-1/2	50	2500	78.2
	1-3/4	50	2200	88.8
	2	50	2000	99.4
	2-1/4	50	2000	110.0
	2-1/2	50	1800	120.6
	2-3/4	50	1600	131.2
	3	50	1500	141.8
	3-1/2	25	1200	163.0
	3-3/4	25	1100	173.6
	4	25	1000	184.1
	4-1/2	25	850	205.3
	5	25	700	226.5
	5-1/2	25	650	247.7
6	25	600	268.9	
—14 NC				
—20 NF				

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>1/2</b>	3/4	50	3000	8.1
	7/8	50	2500	8.6
	1	50	2400	9.2
	1-1/4	50	2000	10.3
	1-1/2	50	1800	11.5
	1-3/4	50	1600	12.9
	2	50	1400	14.3
	2-1/4	50	1200	15.7
	2-1/2	50	1100	17.1
	2-3/4	50	1000	18.4
	3	50	1000	19.8
	3-1/4	25	1000	21.2
	3-1/2	25	900	22.6
	3-3/4	25	850	24.0
	4	25	800	25.3
	4-1/2	25	650	28.1
	5	25	550	30.9
	5-1/2	25	500	33.6
	6	25	400	36.4
	6-1/2	25	400	39.1
7	25	375	41.9	
7-1/2	25	350	44.7	
8	25	325	47.4	
8-1/2	25	300	50.2	
9	25	275	52.9	
9-1/2	25	250	55.7	
10	25	225	58.5	
11	25	200	62.3	
12	25	175	67.6	
14	25	150	78.4	
16	25	125	89.2	
—13 NC				
—20 NF				
<b>9/16</b>	1	25	1900	11.2
	1-1/4	25	1600	12.7
	1-1/2	25	1400	14.1
	1-3/4	25	1300	15.8
	2	25	1100	17.6
	2-1/4	25	1000	19.3
	2-1/2	25	900	21.1
	2-3/4	25	750	22.9
	3	25	800	24.6
	3-1/2	25	700	28.1
	4	25	600	31.6
	4-1/2	25	500	35.1
	5	25	400	38.6
	5-1/2	25	350	42.1
	6	25	325	45.6
	7	25	300	52.7
8	25	275	59.7	
—12 NC				
—18 NF				

\* Special Lengths available on Request

# HEX HEAD CAP SCREWS



**Materials:** Grades 2, 5, & 8 Steel  
Stainless Steel  
Brass, Bronze, Aluminum

**Threading:** UNC — Coarse  
UNF — Fine

**Finishes:** Plain  
Plated

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>5/8</b>	1	25	1300	15.1
	1-1/4	25	1100	16.9
	1-1/2	25	1000	18.7
	1-3/4	25	900	20.6
	2	25	825	22.8
	2-1/4	25	750	24.9
	2-1/2	25	675	27.1
	2-3/4	25	600	29.2
	3	25	650	31.4
	3-1/4	25	600	33.5
	3-1/2	25	575	35.7
	3-3/4	25	550	37.9
	4	25	500	40.0
	4-1/2	25	400	44.3
	5	25	350	48.6
	5-1/2	25	325	52.9
	6	25	300	57.3
	6-1/2	25	275	61.6
	7	25	250	65.9
	7-1/2	25	225	70.2
8	25	200	74.5	
8-1/2	25	175	78.8	
9	25	150	83.1	
9-1/2	25	150	87.4	
10	25	125	91.7	
11	25	125	99.1	
12	25	100	107	
13	25	100	115	
14			123	
16			140	
18			157	
20			173	

—11 NC  
—18 NF

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>3/4</b>	1	20	800	24.4
	1-1/4	20	700	27.0
	1-1/2	20	700	29.6
	1-3/4	20	600	32.2
	2	20	550	35.1
	2-1/4	20	500	38.2
	2-1/2	20	450	41.3
	2-3/4	20	400	44.4
	3	20	500	47.5
	3-1/4	20	425	50.6
	3-1/2	20	400	53.7
	3-3/4	20	375	56.8
	4	20	350	60.0
	4-1/2	20	325	66.2
	5	20	250	72.4
	5-1/2	20	225	78.6
	6	20	200	84.8
	6-1/2	20	200	91.1
	7	20	200	97.3
	7-1/2	20	200	103.5
8	20	200	109.7	
8-1/2	20	175	116.0	
9	20	175	122.2	
9-1/2	20	150	128.4	
10	20	150	134.6	
10-1/2	20	125	139	
11	20	125	145	
12	20		158	
13	20		170	
14			182	
15			194	
16			206	
18			230	
20			254	

—10 NC  
—16 NF


\* Special Lengths available on Request

# HEX HEAD CAP SCREWS

**Materials:** Grades 2, 5, & 8 Steel  
Stainless Steel  
Brass, Bronze, Aluminum

**Threading:** UNC - Coarse  
UNF - Fine

**Finishes:** Plain  
Plated



Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>7/8</b>	1-1/2	15	400	43.9
	1-3/4	15	375	47.5
	2	15	350	51.1
	2-1/4	15	300	55.0
	2-1/2	15	300	59.2
	2-3/4	15	300	63.4
	3	15	275	67.7
	3-1/4	15	275	71.9
	3-1/2	15	250	76.1
	3-3/4	15	250	80.3
	4	15	225	84.6
	4-1/2	15	200	93.0
	5	15	175	101.5
	5-1/2	15	175	110.0
	6	15	150	118.4
	6-1/2	15	150	126.9
	7	15	150	135.3
	7-1/2	15	125	143.8
	8	15	125	152.3
	8-1/2			159
9			168	
9-1/2			176	
10			184	
11			201	
12			217	
13			234	
14			250	
16			283	
18			316	
20			349	


—9 NC  
—14 NF

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>1</b>	1-1/2	10	250	
	1-3/4	10	250	
	2	10	250	70.1
	2-1/4	10	250	74.8
	2-1/2	10	250	79.9
	2-3/4	10	225	85.4
	3	10	225	91.0
	3-1/4	10	200	96.5
	3-1/2	10	200	102.0
	3-3/4	10	175	107.5
	4	10	175	113.0
	4-1/2	10	150	124.1
	5	10	130	135.1
	5-1/2	10	130	146.2
	6	10	125	157.2
	6-1/2			170
	7			180
	7-1/2			191
	8			202
	8-1/2			213
9			223	
9-1/2			234	
10			245	
11			266	
12			288	
13			309	
14			331	
16			374	
18			417	
20			460	

—8 NC  
—14 NF

\* Special Lengths available on Request

# HEX HEAD CAP SCREWS



**Materials:** Grades 2, 5, & 8 Steel  
Stainless Steel  
Brass, Bronze, Aluminum

**Threading:** UNC - Coarse  
UNF - Fine

**Finishes:** Plain  
Plated

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>1-1/8</b>	3	15	85	119.3
	3-1/2	15	85	133.3
	4	15	85	147.3
	4-1/2	15	85	161.3
	5	15	65	175.4
	5-1/2	15	65	189.4
	6	15	65	203.4
	6-1/2	15	65	216.5
	7	15	45	230.3
	7-1/2	15	45	244.1
	8	15	45	257.9
	8-1/2	15	45	271.7
	9	15	45	285.5
	9 1/2	15	45	300
	10	15	45	313
	12			368
	13			409
	14			422
16			476	
18			531	
20			585	
<b>1-1/4</b>	3	10	85	154.4
	3-1/2	10	85	171.7
	4	10	65	188.9
	4-1/2	10	65	206.2
	5	10	55	223.5
	5-1/2	10	55	240.8
	6	10	55	258.1
	7	10	35	293.2
	8	10	35	326.9
	9	10	35	360.9
	9 1/2			379
	10	10	35	395
	12			462
	14			530
	16			597
	18			664
	20			731

Diameter	Length	Pkg. Qty.	Bulk Qty.	Wt. Per 100 Pcs
<b>1-1/2</b>	3	15	50	242.8
	3-1/2	15	50	265.1
	4	15	50	290.0
	4-1/2	15	50	314.9
	5	15	35	339.9
	5-1/2	15	35	364.8
	6	15	35	389.7
	6-1/2	15	35	413
	7	15	25	437
	7-1/2	15	25	461
	8	15	25	487
	8-1/2	15	25	509
	9	15	25	533
	9 1/2	15	25	567
	10	15	25	581
	12	15	20	677
	14			792
	16			892
18			992	
20			1092	
<b>1-3/4</b>	5			487
	5-1/2			521
	6			555
	6-1/2			586
	7			621
	8			689
	10			825
	12			961
	14			1096
	16			1234
	18			1371
	20			1506
<b>2</b>	4 1/2			616
	5			661
	5-1/2			705
	6			750
	6-1/2			791
	7			835
	8			925
	10			1103
	12			1280
	14			1458
	16			1638
	18			1823
20			1993	

\* Special Lengths available on Request